

AirServer Connect 3 - Wireless Presentation Solution

TEAM
BOARD

AirServer Connect 3



Overview

AirServer Connect 3 is a universal screen mirroring solution redesigned to provide unparalleled performance. With the new 2.5G Ethernet and WiFi6, it can easily connect 32 guests and stream from 12 different devices simultaneously at 4K 60fps, a massive improvement from its predecessor, AirServer Connect 2.

To enhance the user experience, the sound, display, interactivity, power, and network of AirServer Connect 3 have been simplified to a single USB-C cable. Furthermore, the AirServer Connect 3 is now equipped with a magnetic mount at the bottom of the box for easy installation.



Features

- Single USB-C cable for power, display, network, touch and cameras
- Enhanced connectivity with 2.5G Ethernet and Wi-Fi 6E RSDB
- Simultaneous display of 12 sources
- Multi-display support with up to 3x 4K60 resolution
- Easy installation with magnetic mount
- 2 Year Warranty

AirServer Connect 3

TEAM
BOARD

AirServer Connect 3

SPECIFICATIONS


| | |
|-----------------------------|---|
| Supported Mirroring Methods | AirPlay, Google Cast, Miracast, Guest Network |
| Video outputs | 3 x 4K UHD (3840*2160)@60Hz, HDMI 20a |
| Video input | Optional: USB to HDMI adapter |
| Connectivity | 2.5GbE (Gigabit Ethernet) Commercial-grade Wi-Fi 6E (SDB) (up to 32 people) |
| Anti-theft system | Kensington lock |
| Certifications | FCC/CE/CB/UL/VCCI/BSMI/C-Tick/RCM/ RoHS/ETL/CSA |
| Interactivity & touchscreen | Over Miracast |
| Management and reporting | Yes |
| DRM support | Yes (via Google Cast), including Disney+, Amazon Prime, etc |
| Simultaneously on screen | 12 sources |
| Maintenance & Support | Yes (perpetual) |
| Software requirement | No apps or drivers required |
| Port certifications | USB 3.2 Gen2 (10Gb/s)/Display Port 1.4a (alt mode)/HDMI 2.0a |

CONNECTIONS

| | |
|-------|--|
| Front | 1 x USB-C3.2 with DP alt mode, 2 x USB-A 3.2 |
| Rear | 1 x USB-C3.2 with DP alt mode + 45W PD, 1 x Ethernet LAN 2.5Gbit 1 x HDMI 2.0a with CEC |

PHYSICAL SPECIFICATIONS

| | |
|---------------------|----------------------------------|
| Package Dimensions | 160mm (W) x 120mm (D) x 60mm (H) |
| Gross weight in box | 400g |
| Screen Dimensions | 78mm (W) x 18mm (D) x 34mm (H) |
| Net Weight | 215g |



Remark:

Above mentioned parameters are for Standard models and are subject to change without notice. *